



LED Elevator Lamps

Product Specifications



TCP's LED elevator lamps are designed for rough service applications. Utilizing a shatter resistant polycarbonate lens and overall robust design, TCP LED elevator lamps are durable and built to withstand the vibration and motion of elevators.

Reasons to choose LED Elevator Lamps from TCP

- Uses 90% less energy than standard incandescent replacements
- 25,000 hours (lasts at least 15 times longer than alternative)
- More overall light output compared to incandescent
- Very low heat generation in cab as compared to incandescent lamps
- Shatter resistant polycarbonate lens
- Very low heat generation in cab as compared to incandescent lamps

Ideal Applications

- Elevators

Specifications

Voltage 12V
Input Line Frequency..... 50/60Hz
Lamp Life (Rated) 25,000 hours
Minimum Starting Temp -4°F/-20°C

Maximum Operating Temp..... 104°F/40°C
Dimmable No
Warranty 3 Years

Specifications



LED2W1383V2



LED2WGBFV2

ITEM #	DESCRIPTION	WATTS	LUMENS	COLOR TEMP	BASE	CRI	VOLTAGE	RATED LIFE	CASE QTY
LED2W1383V2	2W 1383 Elevator Lamp - 2700K, Frosted	2W	150	2700K	BA15S	80	12V	25,000 Hours	12
LED2WGBFV2	2W GBF Elevator Lamp - 2700K, Frosted	2W	150	2700K	BA15D	80	12V	25,000 Hours	12

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516