

Project: _____ Type: _____
Drawn by: _____ Catalogue #: _____ Date: _____

Individual Spec Sheet

LED HIGH OUTPUT LAMP A21

ORDERING INFORMATION

Order Code: 68920
Model Number: A21H0/18W/30K/120/STD
UPC: 069549022461
Case Quantity: 12

PHYSICAL DATA

Shape: A21
Base: E26
Heat Sink Color: White
Finish: Frosted

PERFORMANCE DATA

Watts (W): 18
Traditional Equivalent (W): 125
Volts (VAC): 120
Color Temperature (K)¹: 3 000
Lumen Output (lm)²: 2 000
Efficacy (lm/W): 111
CRI: 90
Life L70 (h)³: 25 000
Beam Angle (°): 220
Power Factor (%): 0.90
Frequency (Hz): 60
Operating Temp. Range: - 30 °C to 40 °C (- 22 °F to 104 °F)

¹ Typical colour temperature range: +/- 5 %.

² Lumen values are derived from photometric testing. Initial lumens range: +/- 10 %.

³ Life hours are derived from IESNA LM-80 testing report and projected per IESNA TM-21 extrapolations.

COMPATIBLE DIMMERS¹

Brand	Model
COOPER	AAL06
LEVITON	DSM10-1LZ, IPE04-1LZ, DDMX1
LUTRON	PD-5NE, PD-6WCL, RRD-6NA-WH, DVCL-153P, CTCL-153P, DVCL-253P, DVRP-253-WH, SELV-300P, MACL-153P
LEGRAND	RH703PTUTC

Dimming range: 10%-100%

¹This table shows dimmers that have been tested and have demonstrated proper operation under normal conditions. Each installation being unique, various factors such as load, common neutrals or other electrical products on the circuit can, in certain instances, cause variance in system performance. Read and comply to the dimmer installation instructions. Consult dimming system manufacturer for additional support in operation. Some dimmers may require more than one product for stable operation. Stanpro recommends to use dimmers designed to work with LED products. Older dimmers designed for incandescent products may cause erratic operation.



5 yrs
warranty


dimmable


damp
location


enclosed
fixture


RoHS


UL
CERTIFIED



FCC

This lighting equipment meets requirements of ICES-005 issue class B for use in residential applications.

Data is based upon tests performed in a controlled environment.

Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

DIMENSIONS



Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: _____

Company: _____

Signature: _____

Date: _____

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions.
All products are subject to change or may be discontinued any time without notice.