

Project: _____ Type: _____
 Drawn by: _____ Catalogue #: _____ Date: _____

Individual Spec Sheet

LED HIGH INTENSITY LAMP

ORDERING INFORMATION

Order code: 69548
Model number: CRN/S3/18W/50K/BYP/120-277/E26/STD
UPC: 069549677968
Case quantity: 24

PHYSICAL DATA

Base: E26
Shape: 360° High Intensity

PERFORMANCE DATA


Watts (W): 18
Traditional equivalent (W): 50
Volts (VAC): 120-277
Color temperature (K)¹: 5 000
Lumen output (lm)²: 2 715
Efficacy (lm/W): 150
CRI: >80
Life L70 (h)³: 50 000
Beam angle (°): 360
Power factor: 0.99
Frequency (Hz): 50/60
Operating temp. range: -40 °C to 45 °C (-40 °F to 113 °F)
Installation method: Ballast Bypass
Application (Indoor/Outdoor): Indoor and outdoor

¹ Typical color temperature range: +/- 5 %.

² Lumen values are derived from photometric testing. Initial lumens range: +/- 10 %.

³ Life hours are derived from IESNA LM80-08 testing report and projected per IESNA TM-21-11 extrapolations.

DIMENSIONS



5 yrs
warranty

6
damp
location



ICES
005



enclosed
fixture

RHS



FCC

This lighting equipment meets requirements of ICES-005 issue 5 class A for use in commercial applications.
 Data is based upon tests performed in a controlled environment.
 Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.