



PRODUCT CODE(S):

NOTES:

TYPE:

Interactive PDF. Click to type.

SSM Slim Surface

5CCT Selectable | 120V

Featuring a low-profile, quick-snap mount design, this series is ideal for residential settings with 4 sizes, 5CCT selectability, and 3 trim colour options!

4 Size Options Available

5", 7", 9", 12"

5CCT Selectable

2700K / 3000K / 3500K / 4000K / 5000K

Quick-Snap Mount Design

ELV / TRIAC Dimmable

120V Driver

Low-Profile Design

Edge-Lit Optics

Deliver smooth uniform illumination

Compatible with 3" and 4" Junction Boxes

White Trim Standard.
Brushed Nickel & Black sold separately.



5" Model



7" Model



9" Model



12" Model

Included in Box:
Surface Mount Bracket



LIGHT SPECIFICATIONS AND ELECTRICAL



PRODUCT CODE	WATTAGE	CCT	LUMENS	EFFICACY	V	CRI	FACTORY SETTINGS	MAX CURRENT
SSM-5R-12W-5CCT-WH	12W	2700K	1000 lm	88 lm/W	120V	90+	12W 3000K	0.10A
		3000K	1025 lm	90 lm/W				
		3500K	1050 lm	93 lm/W				
		4000K	1050 lm	93 lm/W				
		5000K	1000 lm	89 lm/W				
SSM-7R-15W-5CCT-WH	15W	2700K	1100 lm	85 lm/W	120V	90+	15W 3000K	0.12A
		3000K	1150 lm	86 lm/W				
		3500K	1250 lm	88 lm/W				
		4000K	1250 lm	88 lm/W				
		5000K	1150 lm	86 lm/W				
SSM-9R-18W-5CCT-WH	18W	2700K	1500 lm	90 lm/W	120V	90+	18W 3000K	0.15A
		3000K	1550 lm	92 lm/W				
		3500K	1600 lm	94 lm/W				
		4000K	1600 lm	94 lm/W				
		5000K	1550 lm	92 lm/W				
SSM-12R-24W-5CCT-WH	24W	2700K	2000 lm	88 lm/W	120V	90+	24W 3000K	0.20A
		3000K	2100 lm	92 lm/W				
		3500K	2150 lm	95 lm/W				
		4000K	2150 lm	95 lm/W				
		5000K	2000 lm	89 lm/W				

SPECIFICATIONS & ELECTRICAL

Surge Protection	2.5kV
Power Factor	>0.9
Operating Temp	-25°C to 40°C
Beam Angle	110°
Dimmable	ELV / TRIAC
L70 Life	>50,000 hrs
Warranty	5-year

APPROVALS & RATINGS

cETL	5010283
Energy Star	Yes - Excludes 12" Model*
CAN ICES-005	Yes
Wet Location	Yes
IP Rating	IP44

*See next page for Energy Star Unique ID's

CONSTRUCTION

Housing	Polycarbonate
Lens	Polycarbonate
Finish Colour	White
Mounting Type	Surface Mount

ACCESSORIES (Sold Separately)


		SHADED CELLS INDICATE COMPATIBILITY			
PRODUCT NUMBER	PRODUCT NAME	5"	7"	9"	12"
SSM-TR-5R-BK	5" Trim - Black				
SSM-TR-7R-BK	7" Trim - Black				
SSM-TR-9R-BK	9" Trim - Black				
SSM-TR-12R-BK	12" Trim - Black				
SSM-TR-5R-BN	5" Trim - Brushed Nickel				
SSM-TR-7R-BN	7" Trim - Brushed Nickel				
SSM-TR-9R-BN	9" Trim - Brushed Nickel				
SSM-TR-12R-BN	12" Trim - Brushed Nickel				
SSM-RK-SM	5" Retrofit Kit				
SSM-RK-LG	7" / 9" / 12" Retrofit Kit				

COMPATIBLE DIMMERS

BRAND	MODEL NO.	CONTROL TYPE
Leviton	IPL06-10Z	TRIAC
Lutron	DVCL-153P	TRIAC
Lutron	DVELV-300P	ELV
Lutron	MACL-153M	TRIAC
Lutron	CTCL-153P	TRIAC


Different Options to Meet Your Project's Needs!

Customize your fixture with our trim accessories. Available in black or brushed nickel.



Expand Installation Possibilities!

Upgrade recessed cans to LED using our retrofit kit accessories.



SSM-RK-LG




SSM-RK-SM

ENERGY STAR INFORMATION

PRODUCT CODE	ENERGY STAR UNIQUE ID
SSM-5R-12W-5CCT-WH	4498451
SSM-7R-15W-5CCT-WH	4498452
SSM-9R-18W-5CCT-WH	4498453
SSM-12R-24W-5CCT-WH	N/A

MEASUREMENTS (IN) & WEIGHTS (LBS)



PRODUCT CODE	SIZE	D1 (DIAMETER 1)	D2 (DIAMETER 2)	H (HEIGHT)	FIXTURE WEIGHT
SSM-5R-12W-5CCT-WH	5"	5.53"	4.41"	0.73"	0.38 lbs
SSM-7R-15W-5CCT-WH	7"	7.09"	5.94"	0.73"	0.58 lbs
SSM-9R-18W-5CCT-WH	9"	8.86"	7.72"	0.74"	0.85 lbs
SSM-12R-24W-5CCT-WH	12"	12.24"	11.1"	0.74"	1.48 lbs

SSM-5R-12W-5CCT-WH	
Carton Qty	1
Carton G.W.	0.46 lbs
Carton Meas.	6.89" x 5.71" x 0.98"
Master Carton Qty	24
Master Carton G.W.	14.94 lbs
Master Carton Meas.	13.07" x 12.13" x 7.68"

SSM-7R-15W-5CCT-WH	
Carton Qty	1
Carton G.W.	0.70 lbs
Carton Meas.	8.46" x 7.28" x 0.98"
Master Carton Qty	24
Master Carton G.W.	20.59 lbs
Master Carton Meas.	15.28" x 13.07" x 9.25"

SSM-9R-18W-5CCT-WH	
Carton Qty	1
Carton G.W.	1.02 lbs
Carton Meas.	10.24" x 9.05" x 0.98"
Master Carton Qty	18
Master Carton G.W.	22.34 lbs
Master Carton Meas.	18.82" x 10.43" x 11.02"

SSM-12R-24W-5CCT-WH	
Carton Qty	1
Carton G.W.	1.76 lbs
Carton Meas.	13.58" x 12.40" x 0.98"
Master Carton Qty	12
Master Carton G.W.	22.86 lbs
Master Carton Meas.	13.78" x 12.91" x 14.37"

BRITISH COLUMBIA

1140-2375 Fremont St, Port Coquitlam,
BC V3B 0N9 | (778) 730-0448

ALBERTA

13-2355 52 Ave SE, Calgary, AB
T2C 4X7 | (403) 907-0212

ONTARIO

8-540 Jamieson Pkwy, Cambridge, ON
N3C 0G5 | (519) 880-9833