



WCYL Series

WALL CYLINDERS

Bold illumination with refined style

WCYL

3CCT MODELS



KEY FEATURES

Power Selectable

7W / 10W / 15W
10W / 20W / 30W

3CCT Selectable

3000K / 4000K / 5000K

120-347V Universal Driver

0-10V dimming

Built-in Photocell

unplug to bypass

Distribution

direct/indirect & direct options

Suitable for Indoor & Outdoor Use**60° Beam Angle****Cylinder Rings Illuminate****Eco Packaging**

EVERYDAY ILLUMINATION

Our 3CCT models shine in functional, high-traffic settings such as lobbies, corridors, hotels, commercial entrances, and building exteriors. With adjustable output and selectable colour temperature, they adapt effortlessly to practical lighting requirements.

WCYL Series

WALL CYLINDERS

Our 3CCT models deliver refined versatility with power selectability and three crisp colour temperatures to suit any project requirement. Offered in both direct and direct/indirect options with a universal driver, these fixtures provide dependable, efficient illumination built for modern architectural environments.



Check out our
YouTube video for
more information on
our WCYL Series!



WCYL Wall Cylinders

Fixtures	Wattage	CCT	Voltage	Distribution	Lumens	Finish
WCYL-D-15W-3P-3CCT-UD	7W/10W/15W	30K/40K/50K	120-347V	Direct	739-1497 lm	Black
WCYL-DI-30W-3P-3CCT-UD	10W/20W/30W	30K/40K/50K	120-347V	Direct/Indirect	913-3203 lm	Black

Lumen Output Table

	3000K	4000K	5000K
7W	739 lm	779 lm	812 lm
10W	1011 lm	1070 lm	1080 lm
15W	1411 lm	1468 lm	1497 lm

Lumen Output Table

	3000K	4000K	5000K
10W	913 lm	913 lm	976 lm
20W	2086 lm	2192 lm	2230 lm
30W	2796 lm	3079 lm	3203 lm



For information on the
complete series including IES files,
spec sheets, and more, visit
www.csc-led.com

www.csc-led.com | info@csc-led.com | [cscledcorp](http://cscledcorp.com)



WCYL

RGBW MODEL



KEY FEATURES

Power

30W

RGBW

Red / Green / Blue / White

120-277V Driver**Distribution**

50% uplight, 50% downlight

Suitable for Indoor & Outdoor Use**60° Beam Angle****16 Colours and 5 Operating Modes**

complete with Remote

Cylinder Rings Illuminate**Eco Packaging**


VIBRANT SPACES

Ideal for environments seeking personality and visual flair, the RGBW model excels in hospitality venues, feature walls, entertainment spaces, and modern outdoor areas. Its colour effects and fading modes help shape memorable atmospheres that elevate the experience.

WCYL Series

RGBW MODEL

The RGBW WCYL brings spaces to life with vivid colour options and dynamic lighting modes designed to captivate. Its powerful 30W output, 120–277V driver, and direct/indirect distribution create a refined visual presence, while the included remote ensures effortless, on-the-fly customization.



WCYL RGBW Model

Fixtures	Wattage	CCT	Voltage	Distribution	Lumens	Finish
WCYL-DI-30W-RGBW-LV	30W	RGBW	120-277V	Direct/Indirect	270-1230 lm	Black

Lumen Output Table

	Red	Green	Blue	White
30W	270 lm	899 lm	191 lm	1230 lm

Complete
with Remote




Check out our
YouTube video tutorial
of how to use our
RGBW Remote



For information on the
complete series including IES files,
spec sheets, and more, visit
www.csc-led.com

www.csc-led.com | info@csc-led.com | [cscledcorp](http://cscledcorp.com)





BC BRANCH

1140-2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730-0448

AB BRANCH

13-2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907-0212

ON HEAD OFFICE

8-540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880-9833