




CDL03 Series

COMMERCIAL DOWNLIGHTS

Simplifying Installation & Reducing Labour Time

CDL03 COMMERCIAL DOWNLIGHTS



KEY FEATURES

Power Selectable

5 power settings per fixture

5CCT Selectable

2700K / 3000K / 3500K / 4000K / 5000K

Integral Driver Eliminates Need for Traditional Multi-Piece Fixture Setup

0-10V / ELV / TRIAC Dimmable
120-347V Universal Driver

IC Rated

for contact with insulation

Air-Tight Rated

to meet building code requirements

26" Flexible Conduit Whip

with knockout quick connector

Rough-in Plate Mounting

for T-Grid and drywall installation



RETAIL

Highlighting products and create inviting shopping environments. Ideal for boutiques, showrooms, and shopping malls, they provide precise directional lighting that enhances colour rendering and draws attention to key displays.




HOSPITALITY

Offering a clean, modern look in hospitality settings, providing focused yet comfortable illumination. Perfect for kitchens, living rooms, hallways, and bathrooms, they blend seamlessly into ceilings to enhance ambiance without cluttering the space.



COMMERCIAL

In offices, schools, and healthcare facilities, recessed lighting delivers efficient, uniform illumination ideal for productivity and comfort. Its low-profile design minimizes glare while maintaining a professional aesthetic across large or high-traffic areas.



CDL03 Series

COMMERCIAL DOWNLIGHTS

Engineered for new construction and retrofit applications. Featuring an integral driver that eliminates the need for a traditional multi-piece fixture setup, simplifying installation and reducing labour time. Enjoy compatibility and performance with 0-10V, ELV, and TRIAC dimming, plus confidence in every environment with IC and Air-Tight ratings.



CDL03 Commercial Downlights

Fixtures	Wattage	CCT	Voltage	Size	Lumens	Finish
CDL03-4R-16W-5P-5CCT-UD-WH	7W/9W/11W/13W/16W	27K/30K/35K/40K/50K	120-347V	4"	700-1650 lm	White
CDL03-6R-24W-5P-5CCT-UD-WH	10W/13W/18W/21W/24W	27K/30K/35K/40K/50K	120-347V	6"	1050-2650 lm	White
CDL03-8R-30W-5P-5CCT-UD-WH	16W/20W/23W/27W/30W	27K/30K/35K/40K/50K	120-347V	8"	1750-3300 lm	White
CDL03-10R-38W-5P-5CCT-UD-WH	20W/24W/28W/32W/38W	27K/30K/35K/40K/50K	120-347V	10"	2250-4150 lm	White

Customize your fixture with our trim accessories.
Available in matte black or brushed nickel.



Goof Rings
Available in 4", 6", 8", and 10"



For information on the complete series including IES files, spec sheets, and more, visit www.csc-led.com



Check out our
YouTube channel for
more information on
our products!

Lumen Output Tables

by Model Size

4" Model

	2700K	3000K	3500K	4000K	5000K
7W	700 lm	760 lm	810 lm	840 lm	850 lm
9W	870 lm	940 lm	1000 lm	1030 lm	1050 lm
11W	1040 lm	1120 lm	1200 lm	1230 lm	1250 lm
13W	1200 lm	1300 lm	1380 lm	1430 lm	1450 lm
16W	1420 lm	1520 lm	1580 lm	1600 lm	1650 lm

6" Model

	2700K	3000K	3500K	4000K	5000K
10W	1050 lm	1100 lm	1150 lm	1180 lm	1200 lm
13W	1400 lm	1470 lm	1500 lm	1550 lm	1600 lm
18W	1950 lm	2050 lm	2100 lm	2150 lm	2200 lm
21W	2250 lm	2300 lm	2330 lm	2350 lm	2400 lm
24W	2400 lm	2500 lm	2550 lm	2600 lm	2650 lm

8" Model

	2700K	3000K	3500K	4000K	5000K
16W	1750 lm	1830 lm	1900 lm	1960 lm	2000 lm
20W	2000 lm	2100 lm	2200 lm	2250 lm	2300 lm
23W	2300 lm	2420 lm	2550 lm	2600 lm	2650 lm
27W	2600 lm	2750 lm	2900 lm	2950 lm	3000 lm
30W	2900 lm	3050 lm	3200 lm	3250 lm	3300 lm

10" Model

	2700K	3000K	3500K	4000K	5000K
20W	2250 lm	2350 lm	2400 lm	2450 lm	2500 lm
24W	2500 lm	2620 lm	2700 lm	2720 lm	2750 lm
28W	2900 lm	3050 lm	3100 lm	3150 lm	3200 lm
32W	3150 lm	3350 lm	3400 lm	3450 lm	3500 lm
38W	3750 lm	3950 lm	4050 lm	4100 lm	4150 lm





BC BRANCH

1140-2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730-0448

AB BRANCH

13-2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907-0212

ON HEAD OFFICE

8-540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880-9833