



FLM02 Series

# MINI FLOOD LIGHTS

Illuminating Your Outdoor Spaces

# FLM02 MINI FLOOD LIGHTS

COMPACT POWER!



## KEY FEATURES

### Power

15W  
20W / 30W / 50W  
55W / 70W / 80W

### CCT

4000K  
3000K / 4000K / 5000K

### Complete with Yoke Mount\*

Interchangeable mounting options sold separately

### Built-in Photocell\*\*

### 19.7" Cord Whip

### Die-Cast Aluminum Housing

With cooling fins for superior heat dissipation

### High-Impact Polycarbonate Lens

**Rugged Polyester Powder Coat Finish**  
Bronze

\*Excluding FLM02-15W-40K-LV-KN

\*\*Excluding FLM02-15W-40K-LV-KN & FLM02-15W-40K-LV-YK



## HASSLEFREE PERFORMANCE

FLM02 Mini Flood Lights are the epitome of versatility and performance in outdoor lighting. With power and colour selectability\*, these flood lights provide customizable illumination tailored to your specific needs. Equipped with a built-in photocell, this series offers automated functionality, ensuring hassle-free operation from dusk till dawn.

# FLM02 Series

# MINI FLOOD LIGHTS

Ideal for landscaping, patio, and security lighting, as well as signs and building facades, these floodlights stand as an excellent replacement for quartz halogen fixtures.

## FLM02 Mini Flood Lights

Fixtures	Wattage	CCT	Voltage	Efficacy	Lumens	Finish
FLM02-15W-40K-LV-YK	15W	4000K	120-277V	124 lm/W	1856 lm	Bronze
FLM02-15W-40K-LV-KN	15W	4000K	120-277V	124 lm/W	1856 lm	Bronze
FLM02-50W-3P-3CCT-UD	20W/30W/50W	3000K/4000K/5000K	120-347V	127-166 lm/W	3186-6883 lm	Bronze
FLM02-80W-3P-3CCT-UD	55W/75W/80W	3000K/4000K/5000K	120-347V	120-164 lm/W	8411-11270 lm	Bronze



FLM02 15W  
Mini Flood Light  
FLM02-15W-40K-LV-YK



FLM02 15W  
Mini Flood Light  
FLM02-15W-40K-LV-KN



FLM02 50W  
Mini Flood Light  
FLM02-50W-3P-3CCT-UD



FLM02 80W  
Mini Flood Light  
FLM02-80W-3P-3CCT-UD

## Lumen Output Tables



FLM02-15W-40K-LV-KN	
15W, 4000K	2730 lm

FLM02-15W-40K-LV-YK	
15W, 4000K	2730 lm


FLM02-50W-3P-3CCT-UD			
	3000K	4000K	5000K
20W	2646 lm	2730 lm	2656 lm
30W	3689 lm	3891 lm	3766 lm
50W	4335 lm	4697 lm	4361 lm

FLM02-80W-3P-3CCT-UD			
	3000K	4000K	5000K
55W	2844 lm	3071 lm	2927 lm
70W	4063 lm	4400 lm	4213 lm
80W	4838 lm	5203 lm	4938 lm



For information on the complete series including IES files, spec sheets, and more, visit [www.csc-led.com](http://www.csc-led.com)





## **BC BRANCH**

1140-2375 Fremont St  
Port Coquitlam, BC V3B 0N9  
(778) 730-0448

## **AB BRANCH**

13-2355 52 Ave SE  
Calgary, AB T2C 4X7  
(403) 907-0212

## **ON HEAD OFFICE**

8-540 Jamieson Pkwy  
Cambridge, ON N3C 0G5  
(519) 880-9833